

# BRUSHBOX



## BRUSHBOX

BRUSHBOX IS A POPULAR CHOICE FOR FLOORING AS IT FEATURES A FINE, EVEN TEXTURE AND IT'S GRAIN IS NATURALLY UNBLEMISHED.

Ranging in colour from rich reddish browns to palish pinks with interesting grain and colouration patterns, this timber offers both character and resilience whilst providing an impressive addition to any project.

Brushbox is a popular choice for flooring, cladding, panelling and joinery applications. It has an average Janka hardness rating of 9.5 and a dry density of 900 kg/m<sup>3</sup>.

As with many wood products, natural variations in terms of colour and grain exist but this only adds to its individuality, charm and appeal.

<b>COMMON NAME</b>	Brushbox
<b>LOOK &amp; FEATURES</b>	Brushbox has a grain that usually interlocks to varying degrees. It is a species that is low in tanins.
<b>BOTANICAL NAME</b>	Lophostemon confertus
<b>COLOUR</b>	Heartwood varies in colour from a pinkish grey to a rich reddish brown. Sapwood usually distinctively paler.
<b>COMMON USES</b>	An extremely versatile timber with uses ranging from flooring, cladding, panelling and joinery applications.

## PROPERTIES

DENSITY (KG/M3)	
GD	1160
ADD	900
HARDNESS KN (JANKA)	
Green	7.9
Dry	9.5
DURABILITY CLASS	3
STRENGTH GROUP	S3/SD3
JOINT GROUP	J2/JD2
SHRINKAGE	
Radial % (approx.)	4.4%
Tangential % (approx)	9.7%
STRUCTURAL GRADES	
Unseasoned	F14-F17
Seasoned	F17-F24
TOUGHNESS (NM)	
Green	Medium
Dry	Medium
EARLY FIRE HAZARD INDICES	
Ignitability	14
Spread of Flame	7
Smoke Development	3
TERMITE RESISTANT	Resistant
LYCTID SUSCEPTIBLE SAPWOOD	Not Susceptible